



使用方向
Direction of Installation



馬達插入式立式減速機

VERTICAL TYPE REDUCER MOTOR PLUG-IN

MODEL : VB



二段式 2-STAGE

減速比 RATIO 1/3~1/40

尺寸表 Dimension

單位 : m/m

| 型號 MODEL | 馬力 HP (4P) | 減速比 RATIO | T | L | H | 法蘭面 FLANGE | | | | 馬達盤 IEC MOTOR FLANGE | | | | | 輸入孔 INPUT BORE | | | 輸出軸 OUTPUT SHAFT | | | | 重量 Weight (KG) |
|-------------|------------------|--------------|-----|-----|-----|---------------|-----|-----|----|-------------------------|-----|-----|-----|-----|-------------------|----|------|---------------------|-----|-----|-----------|----------------------|
| | | | | | | A | B | C | N | M | P | Q | R | Z | U | F | V | D | LS | S | WxYxLK | |
| VB-201 | 1/4 | 3~30 | 174 | 145 | 43 | 180 | 155 | 130 | 10 | 29 | 130 | 110 | 160 | M8 | 11 | 4 | 12.7 | 21 | 38 | 19 | 5x5x30 | 11 |
| VB-202 | 1/2 | 3~10 | 180 | 153 | 50 | 180 | 155 | 130 | 10 | 29 | 130 | 110 | 160 | M8 | 14 | 5 | 16.3 | 27 | 45 | 24 | 7x7x35 | 11 |
| VB-203 | 1/4 | 31~50 | 228 | 201 | 50 | 200 | 175 | 150 | 12 | 29 | 130 | 110 | 160 | M8 | 11 | 4 | 12.7 | 27 | 45 | 24 | 7x7x35 | 15 |
| | 1/2 | 11~30 | | | | | | | | | | | | | 14 | 5 | 16.3 | | | | | |
| VB-205 | 1/2 | 31~50 | 237 | 209 | 55 | 240 | 215 | 180 | 14 | 28 | 130 | 110 | 200 | M8 | 14 | 5 | 16.3 | 31 | 50 | 28 | 7x7x40 | 25 |
| | 1 | 3~30 | | | | | | | | 33 | 165 | 130 | 200 | M10 | 19 | 6 | 21.8 | | | | | |
| VB-206 | 2 | 3~10 | 257 | 216 | 60 | 240 | 215 | 180 | 14 | 43 | 165 | 130 | 200 | M10 | 24 | 8 | 27.3 | 35 | 55 | 32 | 10x8x45 | 25 |
| | 1 | 31~40 | | | | | | | | 33 | 165 | 130 | 200 | M10 | 19 | 6 | 21.8 | | | | | |
| VB-207 | 2 | 11~30 | 276 | 233 | 60 | 280 | 245 | 210 | 14 | 43 | 165 | 130 | 200 | M10 | 24 | 8 | 27.3 | 35 | 55 | 32 | 10x8x45 | 31 |
| | 1 | 3~10 | | | | | | | | 57 | 215 | 180 | 250 | M12 | 28 | 8 | 31.3 | | | | | |
| VB-208 | 3 | 3~10 | 291 | 238 | 65 | 280 | 245 | 210 | 14 | 57 | 215 | 180 | 250 | M12 | 28 | 8 | 31.3 | 41 | 60 | 38 | 10x8x50 | 35 |
| | 2 | 31~40 | | | | | | | | 49 | 165 | 130 | 250 | M10 | 24 | 8 | 27.3 | | | | | |
| VB-209 | 3 | 11~30 | 318 | 261 | 65 | 330 | 300 | 250 | 18 | 57 | 215 | 180 | 250 | M12 | 28 | 8 | 31.3 | 41 | 60 | 38 | 10x8x50 | 48 |
| | 2 | 3~10 | | | | | | | | 57 | 215 | 180 | 250 | M12 | 28 | 8 | 31.3 | | | | | |
| VB-210 | 5 | 3~10 | 322 | 266 | 70 | 330 | 300 | 250 | 18 | 57 | 215 | 180 | 250 | M12 | 28 | 8 | 31.3 | 45 | 65 | 42 | 12x8x55 | 48 |
| | 3 | 31~40 | | | | | | | | 43 | 215 | 180 | 250 | M12 | 28 | 8 | 31.3 | | | | | |
| VB-211 | 5 | 11~30 | 362 | 305 | 80 | 380 | 335 | 290 | 18 | 43 | 215 | 180 | 250 | M12 | 28 | 8 | 31.3 | 51 | 75 | 48 | 12x8x65 | 68 |
| | 3 | 31~40 | | | | | | | | 65 | 265 | 230 | 300 | M12 | 38 | 10 | 41.3 | | | | | |
| VB-212 | 7 1/2 | 3~10 | 370 | 305 | 80 | 380 | 335 | 290 | 18 | 65 | 265 | 230 | 300 | M12 | 38 | 10 | 41.3 | 51 | 75 | 48 | 12x8x65 | 73 |
| | 10 | 3~10 | | | | | | | | 85 | 300 | 250 | 350 | M16 | 42 | 12 | 45.3 | | | | | |
| VB-213 | 7 1/2 | 11~30 | 423 | 358 | 85 | 450 | 400 | 350 | 22 | 65 | 265 | 230 | 300 | M12 | 38 | 10 | 41.3 | 60 | 80 | 56 | 15x10x70 | 107 |
| | 15 | 4~10 | | | | | | | | 85 | 300 | 250 | 350 | M16 | 42 | 12 | 45.3 | | | | | |
| VB-214 | 10 | 11~30 | 428 | 363 | 90 | 450 | 400 | 350 | 22 | 65 | 265 | 230 | 300 | M12 | 38 | 10 | 41.3 | 66 | 85 | 62 | 15x10x75 | 107 |
| | 15 | 11~30 | | | | | | | | 85 | 300 | 250 | 350 | M16 | 42 | 12 | 45.3 | | | | | |
| VB-215 | 20 | 4~10 | 522 | 437 | 105 | 500 | 450 | 400 | 24 | 85 | 300 | 250 | 350 | M16 | 42 | 12 | 45.3 | 76.5 | 100 | 72 | 20x12x90 | 160 |
| | 25 | 4~10 | | | | | | | | 85 | 300 | 250 | 350 | M16 | 42 | 12 | 45.3 | | | | | |
| VB-216 | 20 | 11~30 | 520 | 437 | 105 | 500 | 450 | 400 | 24 | 85 | 300 | 250 | 350 | M16 | 42 | 12 | 45.3 | 80.5 | 100 | 76 | 20x12x90 | 162 |
| | 25 | 5~10 | | | | | | | | 87 | 350 | 300 | 400 | M16 | 48 | 14 | 51.8 | | | | | |
| VB-217 | 25 | 11~30 | 566 | 479 | 115 | 590 | 540 | 480 | 24 | 87 | 350 | 300 | 400 | M16 | 48 | 14 | 51.8 | 84.5 | 110 | 80 | 20x12x100 | 254 |
| | 30 | 4~30 | | | | | | | | 87 | 350 | 300 | 400 | M16 | 48 | 14 | 51.8 | | | | | |
| VB-218 | 40 | 4~10 | 664 | 577 | 135 | 660 | 610 | 560 | 24 | 87 | 350 | 300 | 400 | M16 | 55 | 16 | 59.3 | 106.5 | 130 | 100 | 24x16x120 | 424 |
| | 40 | 11~30 | | | | | | | | 87 | 400 | 350 | 450 | M16 | 55 | 16 | 59.3 | | | | | |
| VB-219 | 50 | 5~10 | - | 654 | 155 | 700 | 650 | 600 | 24 | - | 400 | 350 | 450 | M16 | 60 | 18 | 64.3 | 124 | 150 | 115 | 32x20x140 | 675 |
| | 50 | 10~30 | | | | | | | | - | 400 | 350 | 450 | M16 | 60 | 18 | 64.3 | | | | | |
| 60 | 10~30 | - | - | 654 | 155 | 700 | 650 | 600 | 24 | - | 400 | 350 | 450 | M16 | 60 | 18 | 64.3 | 124 | 150 | 115 | 32x20x140 | 675 |



※VB-219立式臥式兩用請洽外觀圖或內洽 ※減速比5,10,15,20,25,30,35,40,50,60,70,80,90,100,120,150,200屬於標準品，其餘皆屬於特殊品。

馬達插入式立式減速機

VERTICAL TYPE REDUCER MOTOR PLUG-IN

MODEL : VB

使用方向
Direction of Installation



三段式 3-STAGE

減速比 RATIO 1/31~1/200

尺寸表 Dimension

單位 : m/m

| 型號 MODEL | 馬力 HP (4P) | 減速比 RATIO | T | L | H | 法蘭面 FLANGE | | | | 馬達盤 IEC MOTOR FLANGE | | | | | 輸入孔 INPUT BORE | | | 輸出軸 OUTPUT SHAFT | | | | 重量 Weight (KG) |
|-------------|------------------|--------------|-----|------------|-----|---------------|-----|-----|----|-------------------------|-----|-----|-----|-----|-------------------|------|------|---------------------|-----|-----|-----------|--------------------------|
| | | | | | | A | B | C | N | M | P | Q | R | Z | U | F | V | D | LS | S | WxYxLK | |
| VB-304 | 1/4 | 51~120 | 214 | 187 | 55 | 200 | 175 | 150 | 12 | 29 | 130 | 110 | 160 | M8 | 11 | 4 | 12.7 | 31 | 50 | 28 | 7x7x40 | 17 |
| VB-306 | 1/4 | 121~200 | 250 | 222 | 60 | 240 | 215 | 180 | 14 | 28 | 130 | 110 | 160 | M8 | 11 | 4 | 12.7 | 35 | 55 | 32 | 10x8x45 | 27 |
| | 1/2 | 51~120 | 256 | 234 | | | | | | | | | | | 14 | 5 | 16.3 | | | | | |
| VB-308 | 1/2 | 121~200 | 274 | 246 238 | 65 | 280 | 245 | 210 | 14 | 28 | 130 | 110 | 200 | M8 | 14 | 5 | 16.3 | 41 | 60 | 38 | 10x8x50 | 32 |
| | 1 | 40~120 | 271 | | | | | | | 33 | 165 | 130 | 200 | M10 | 19 | 6 | 21.8 | | | | | |
| | 2 | 31~40 | 282 | 44 | | | | | | 165 | 130 | 200 | M10 | 24 | 8 | 27.3 | | | | | | |
| VB-310 | 1 | 121~200 | 313 | 269 | 70 | 330 | 300 | 250 | 18 | 44 | 165 | 130 | 200 | M10 | 19 | 6 | 21.8 | 45 | 65 | 42 | 12x8x55 | 53 |
| | 2 | 51~120 | 322 | | | | | | | 49 | 165 | 130 | 200 | M10 | 24 | 8 | 27.3 | | | | | |
| | 3 | 31~40 | | | | | | | | 57 | 215 | 180 | 250 | M12 | 28 | 8 | 31.3 | | | | | |
| VB-312 | 2 | 121~200 | 359 | 315 | 80 | 380 | 335 | 290 | 18 | 49 | 165 | 130 | 200 | M10 | 24 | 8 | 27.3 | 51 | 75 | 48 | 12x8x65 | 75 |
| | 3 | 41~120 | 368 | | | | | | | 57 | 215 | 180 | 250 | M12 | 28 | 8 | 31.3 | | | | | |
| | 5 | 31~50 | 368 | | | | | | | 57 | 215 | 180 | 250 | M12 | 28 | 8 | 31.3 | | | | | |
| VB-314 | 3 | 121~200 | 421 | 378 366 | 90 | 450 | 400 | 350 | 22 | 57 | 215 | 180 | 250 | | 28 | 8 | 31.3 | 66 | 85 | 62 | 15x10x75 | 115 120 |
| | 5 | 51~120 | 421 | | | | | | | 57 | 215 | 180 | 250 | M12 | 28 | 8 | 31.3 | | | | | |
| | 7 1/2 | 31~50 | 431 | | | | | | | 65 | 265 | 230 | 300 | | 38 | 10 | 41.3 | | | | | |
| VB-315 | 5 | 121~200 | 495 | 452 | 105 | 500 | 450 | 400 | 24 | 57 | 215 | 180 | 250 | | 28 | 8 | 31.3 | 76.5 | 100 | 72 | 20x12x90 | 171 184 |
| | 7 1/2 | 35~120 | 517 | | | | | | | 65 | 265 | 230 | 300 | M12 | 38 | 10 | 41.3 | | | | | |
| | 10 | 35~60 | 517 | | | | | | | 65 | 265 | 230 | 300 | | 38 | 10 | 41.3 | | | | | |
| VB-316 | 10 | 35~120 | 517 | 452 | 105 | 500 | 450 | 400 | 24 | 65 | 265 | 230 | 300 | M12 | 38 | 10 | 41.3 | 80.5 | 100 | 76 | 20x12x90 | 172 185 |
| | 15 | 31~50 | 537 | | | | | | | 85 | 300 | 250 | 350 | M16 | 42 | 12 | 45.3 | | | | | |
| VB-317 | 7 1/2 | 125~200 | 544 | 479 | 115 | 590 | 540 | 480 | 24 | 65 | 265 | 230 | 300 | M12 | 38 | 10 | 41.3 | 84.5 | 110 | 80 | 20x12x100 | 244 252 268 |
| | 15 | 40~120 | 564 | | | | | | | 85 | 300 | 250 | 350 | M16 | 42 | 12 | 45.3 | | | | | |
| | 20 | 40~50 | 564 | | | | | | | 85 | 300 | 250 | 350 | M16 | 42 | 12 | 45.3 | | | | | |
| | 25 | 40~50 | 566 | | | | | | | 87 | 350 | 300 | 400 | M16 | 48 | 14 | 51.8 | | | | | |
| VB-318 | 10 | 121~200 | 662 | 597 | 135 | 660 | 610 | 560 | 24 | 65 | 265 | 230 | 300 | M12 | 38 | 10 | 41.3 | 106.5 | 130 | 100 | 24x16x120 | 400 408 424 424 |
| | 15 | 121~200 | 682 | | | | | | | 85 | 300 | 250 | 350 | M16 | 42 | 12 | 45.3 | | | | | |
| | 20 | 51~120 | 682 | | | | | | | 85 | 300 | 250 | 350 | M16 | 42 | 12 | 45.3 | | | | | |
| | 25 | 60 | 684 | | | | | | | 87 | 350 | 300 | 400 | M16 | 48 | 14 | 51.8 | | | | | |
| | 30 | 31~50 | 684 | | | | | | | 87 | 350 | 300 | 400 | M16 | 48 | 14 | 51.8 | | | | | |
| VB-319 | 20 | 121~200 | 759 | 674 | 155 | 700 | 650 | 600 | 24 | 85 | 300 | 250 | 350 | M16 | 42 | 12 | 45.3 | 124 | 150 | 115 | 32x20x140 | 637 653 |
| | 25 | 60~90 | 761 | | | | | | | 87 | 350 | 300 | 400 | M16 | 48 | 14 | 51.8 | | | | | |
| | 30 | 60~90 | 761 | | | | | | | 87 | 350 | 300 | 400 | M16 | 48 | 14 | 51.8 | | | | | |
| | 40 | 40~60 | 761 | | | | | | | 87 | 350 | 300 | 400 | M16 | 55 | 16 | 59.3 | | | | | |

*VB-319立臥兩用請看外觀圖或內洽 *減速比5,10,15,20,25,30,35,40,50,60,70,80,90,100,120,150,200屬於標準品，其餘皆屬於特殊品。